

CLAIMS

Subail

1. A fuse connection box comprising a fuse and a housing for attaching the fuse,
said housing being divided into a first side
5 housing in which a first side terminal of an end of a first side wire is assembled, and a second side housing in which a second side terminal of an end of a second side wire is assembled,
said first side housing and second side housing
10 having portions for engagement with each other, and
said first side housing and second side housing being engaged to form a single housing in which said fuse can be attached.

2. A fuse connection box as set forth in claim 1,
15 wherein said first side housing and said second side housing are of identical shapes having first engagement portions at one end in the direction of arrangement of fuses and having second engagement portions of shapes engaging with the first engagement portions at the other
20 end.

Subc2

3. A fuse connection box as set forth in claim 1, further comprising a protective cover attached to said first side housing and second side housing so as to cover said fuse in a state where said first side housing and
25 said second side housing are connected and said fuse is

(2) attached.

4. A fuse connection box as set forth in claim 3,
wherein said protective cover is formed with a protective
frame for preventing action of an external force on an
5 engagement portion between said protective cover and said
first side housing and second side housing.

5. A fuse connection box as set forth in claim 2,
further comprising a protective cover attached to said
first side housing and second side housing so as to cover
10 said fuse in a state where said first side housing and
said second side housing are connected and said fuse is
attached.

6. A fuse connection box as set forth in claim 5,
wherein said protective cover is formed with a protective
15 frame for preventing action of an external force on an
engagement portion between said protective cover and said
first side housing and second side housing.

Suba2> 7. A method for producing a fuse connection box
provided with a fuse and a housing for attaching the
20 fuse, comprising the steps of:

producing separately a first side housing in
which a first side terminal of an end of a first side
wire is assembled and having an engagement portion and a
second side housing in which a second side terminal of an
25 end of a second side wire is assembled and having an

engagement portion,

C2

engaging the engagement portions of said first
side housing and second side housing to join them, and
attaching a fuse to the joined housing.

Add
c3

002160-091200